

S 型单级双吸泵壳中开之离心泵安装尺寸

| 型号 | 电动机 | | | 电机尺寸 | | | 底座尺寸 | | | | | E | H1 | L | 吐出锥管法兰尺寸 | | | |
|---------|----------|-----|-----|------|-----|-----|------|-----|-------|-----|-----|-----|-----|--------|----------|-----|-----|----------|
| | 型号 | 功率 | 电压 | L1 | h | H | L2 | L3 | L4 | b | b2 | | | | D92 | D0z | D2 | n-φ d2 |
| 100S90 | Y200L2-2 | 37 | 380 | 775 | 475 | 200 | 1140 | 141 | 780.5 | 385 | 490 | 150 | 365 | 1479.5 | 100 | 180 | 220 | 8-φ 17.5 |
| 100S90A | Y200L1-2 | 30 | 380 | 775 | 475 | 200 | 1140 | 141 | 780.5 | 385 | 490 | 150 | 365 | 1479.5 | 100 | 180 | 220 | 8-φ 17.5 |
| 150S100 | Y280S-2 | 75 | 380 | 1000 | 640 | 280 | 1390 | 173 | 930 | 430 | 640 | 300 | 385 | 1744.5 | 150 | 240 | 285 | 8-φ 22 |
| 150S78 | Y250M-2 | 55 | 380 | 930 | 575 | 250 | 1305 | 173 | 875 | 430 | 585 | 300 | 385 | 1638.5 | 150 | 240 | 285 | 8-φ 22 |
| 100S78A | Y225M-2 | 45 | 380 | 815 | 530 | 255 | 121 | 173 | 820 | 430 | 540 | 300 | 385 | 1523.5 | 150 | 240 | 285 | 8-φ 22 |
| 150S50 | Y200L2-2 | 37 | 380 | 775 | 475 | 200 | 1182 | 173 | 800 | 430 | 500 | 300 | 385 | 1483.5 | 150 | 240 | 285 | 8-φ 22 |
| 150S50A | Y200L1-2 | 30 | 380 | 775 | 475 | 200 | 182 | 173 | 800 | 430 | 500 | 300 | 385 | 1483.5 | 150 | 240 | 285 | 8-φ 22 |
| 150S50B | Y180M-2 | 22 | 380 | 670 | 730 | 180 | 1108 | 173 | 745 | 430 | 465 | 300 | 385 | 1378.5 | 150 | 240 | 285 | 8-φ 22 |
| 200S95A | Y280M-2 | 90 | 380 | 1050 | 640 | 280 | 1523 | 173 | 1030 | 430 | 680 | 350 | 470 | 1915.5 | 200 | 295 | 340 | 8-φ 22 |
| 200S63 | Y280S-2 | 75 | 380 | 1000 | 640 | 280 | 1398 | 173 | 930 | 430 | 655 | 350 | 455 | 1748.5 | 200 | 295 | 340 | 8-φ 22 |
| 200S63A | Y250M-2 | 55 | 380 | 930 | 575 | 250 | 1335 | 173 | 900 | 430 | 600 | 35 | 455 | 1678.5 | 200 | 295 | 340 | 8-φ 22 |
| 200S42 | Y225M-2 | 45 | 380 | 815 | 530 | 225 | 1408 | 196 | 953 | 472 | 595 | 350 | 455 | 1563.5 | 200 | 295 | 340 | 8-φ 22 |
| 200S42A | Y200L2-2 | 37 | 380 | 775 | 475 | 200 | 1211 | 173 | 810 | 430 | 515 | 350 | 455 | 1523.5 | 200 | 295 | 340 | 8-φ 22 |
| 250S39 | Y280S-2 | 75 | 380 | 1000 | 640 | 280 | 1636 | 258 | 1100 | 655 | 720 | 300 | 550 | 1948 | 250 | 350 | 395 | 12-φ 22 |
| 250S39A | Y250M-4 | 55 | 380 | 930 | 575 | 250 | 1586 | 258 | 1005 | 655 | 665 | 300 | 550 | 1878 | 250 | 350 | 395 | 12-φ 22 |
| 250S24 | Y225M-4 | 45 | 380 | 845 | 530 | 995 | 1480 | 255 | 950 | 640 | 640 | 300 | 570 | 1772.5 | 250 | 350 | 395 | 12-φ 22 |
| 250S24A | Y225S-4 | 30 | 380 | 820 | 530 | 25 | 1420 | 228 | 950 | 600 | 600 | 300 | 550 | 1747.5 | 250 | 350 | 395 | 12-φ 22 |
| 250S14 | Y200L-4 | 30 | 380 | 775 | 475 | 200 | 1340 | 228 | 875 | 600 | 535 | 300 | 550 | 1661.5 | 250 | 350 | 395 | 12-φ 22 |
| 250S14A | Y180M-4 | 185 | 380 | 670 | 430 | 180 | 1267 | 228 | 830 | 600 | 495 | 300 | 550 | 1556.5 | 250 | 350 | 395 | 12-φ 22 |
| 300S58 | Y315M1-4 | 180 | 380 | 1210 | 865 | 315 | 1965 | 312 | 1245 | 760 | 870 | 300 | 630 | 2346 | 300 | 400 | 445 | 12-φ 22 |
| 300S32 | Y315S-4 | 110 | 380 | 1240 | 760 | 315 | 1845 | 317 | 1160 | 785 | 785 | 300 | 610 | 2146.5 | 300 | 400 | 445 | 12-φ 22 |
| 300S32A | Y280M-4 | 75 | 380 | 1000 | 640 | 280 | 1767 | 283 | 1150 | 690 | 690 | 300 | 610 | 2096.5 | 300 | 400 | 445 | 12-φ 22 |
| 300S19 | Y250M-4 | 55 | 380 | 930 | 575 | 250 | 1567 | 283 | 1005 | 690 | 630 | 300 | 610 | 1892.5 | 300 | 400 | 445 | 12-φ 22 |
| 300S19A | Y225M-4 | 45 | 380 | 845 | 530 | 225 | 1503 | 283 | 970 | 690 | 580 | 300 | 610 | 1807.5 | 300 | 400 | 445 | 12-φ 22 |
| 300S12 | Y225S-4 | 37 | 380 | 820 | 530 | 225 | 1566 | 305 | 1000 | 770 | 630 | | 630 | 1802.5 | | | | |
| 300S12A | Y200L-4 | 30 | 380 | 775 | 475 | 200 | 1448 | 283 | 920 | 750 | 545 | | 610 | 1757.5 | | | | |
| 350S26 | Y315M1-4 | 132 | 380 | 970 | 655 | 280 | 2015 | 347 | 1250 | 806 | 806 | 300 | 740 | 2135.5 | 350 | 460 | 505 | 16-φ 22 |
| 350S16 | Y280S-4 | 75 | 380 | 1000 | 640 | 280 | 1745 | 316 | 1105 | 790 | 720 | | 740 | 2100 | | | | |
| 350S16A | Y250M-4 | 5 | 380 | 930 | 575 | 250 | 1677 | 316 | 1075 | 770 | 670 | | 740 | 2030 | | | | |

外型尺寸

| 型号 | 泵尺寸 | | | | | | | | | | | | | 进口法兰尺寸 | | | | 出口法兰尺寸 | | | |
|---------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|--------|-----|-----|----------|--------|-----|-----|----------|
| | L | L1 | L2 | L3 | B | B1 | B2 | B3 | H | H1 | H2 | H3 | n-φ d | D91 | D01 | D1 | n-φ d1 | D92 | D02 | D2 | n-φ d2 |
| 100S90 | 700.5 | 382 | 240 | 190 | 520 | 250 | 300 | 210 | 455 | 265 | 140 | 149 | 4-φ 17.5 | 100 | 180 | 220 | 8-φ 17.5 | 70 | 150 | 185 | 4-φ 17.5 |
| 150S100 | 740.5 | 410 | 300 | 250 | 550 | 250 | 340 | 250 | 490 | 285 | 140 | 174 | 4-φ 17.5 | 150 | 240 | 285 | 8-φ 22 | 100 | 180 | 220 | 8-φ 17.5 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | | | | | |
|---------|--------|-----|-----|-----|------|-----|------|-----|------|-----|-----|-----|-------------------|-----|-----|-----|-------------------|-----|-----|-----|-------------------|
| 150S78 | 704.5 | 388 | 300 | 250 | 550 | 250 | 340 | 250 | 472 | 285 | 140 | 155 | 4- ϕ 17.5 | 150 | 240 | 285 | 8- ϕ 22 | 100 | 180 | 220 | 8- ϕ 17.5 |
| 150S50 | 704.5 | 388 | 300 | 250 | 550 | 250 | 340 | 250 | 455 | 285 | 140 | 140 | 4- ϕ 17.5 | 150 | 240 | 285 | 8- ϕ 22 | 100 | 180 | 220 | 8- ϕ 17.5 |
| 200S95 | 861.5 | 485 | 300 | 250 | 680 | 330 | 340 | 250 | 555 | 355 | 170 | 170 | 4- ϕ 17.5 | 200 | 295 | 340 | 8- ϕ 22 | 125 | 210 | 250 | 8- ϕ 17.5 |
| 200S63 | 744.5 | 410 | 300 | 250 | 620 | 300 | 340 | 250 | 549 | 355 | 170 | 170 | 4- ϕ 17.5 | 200 | 295 | 340 | 8- ϕ 22 | 150 | 240 | 285 | 8- ϕ 22 |
| 200S42 | 744.5 | 410 | 300 | 250 | 62 | 300 | 340 | 250 | 547 | 355 | 170 | 170 | 4- ϕ 17.5 | 200 | 295 | 340 | 8- ϕ 22 | 150 | 240 | 285 | 8- ϕ 22 |
| 250S65 | 1046 | 581 | 410 | 350 | 850 | 400 | 510 | 400 | 796 | 450 | 240 | 300 | 4- ϕ 28 | 250 | 350 | 395 | 12- ϕ 22 | 150 | 240 | 285 | 8- ϕ 22 |
| 250S39 | 983.5 | 552 | 410 | 350 | 890 | 440 | 510 | 450 | 750 | 450 | 200 | 260 | 4- ϕ 26 | 250 | 350 | 395 | 12- ϕ 22 | 200 | 295 | 340 | 8- ϕ 22 |
| 250S24 | 953.5 | 532 | 410 | 350 | 850 | 400 | 510 | 400 | 738 | 450 | 230 | 230 | 4- ϕ 26 | 250 | 350 | 395 | 12- ϕ 22 | 200 | 295 | 340 | 8- ϕ 22 |
| 250S14 | 882.5 | 475 | 410 | 350 | 745 | 330 | 510 | 400 | 709 | 450 | 210 | 215 | 4- ϕ 26 | 250 | 350 | 445 | 12- ϕ 22 | 200 | 295 | 340 | 8- ϕ 22 |
| 300S110 | 1198.5 | 647 | 520 | 450 | 1152 | 576 | 600 | 450 | 935 | 535 | 268 | 350 | 4- ϕ 27 | 300 | 400 | 445 | 12- ϕ 22 | 200 | 295 | 340 | 12- ϕ 22 |
| 300S90 | 1188.5 | 664 | 520 | 450 | 1046 | 470 | 600 | 450 | 898 | 510 | 268 | 325 | 4- ϕ 28 | 300 | 400 | 445 | 12- ϕ 22 | 200 | 295 | 340 | 8- ϕ 22 |
| 300S58 | 1132 | 626 | 510 | 450 | 1070 | 530 | 620 | 550 | 860 | 510 | 240 | 310 | 4- ϕ 28 | 300 | 400 | 445 | 12- ϕ 22 | 250 | 350 | 395 | 12- ϕ 22 |
| 300S32 | 1062.5 | 574 | 520 | 450 | 880 | 410 | 600 | 450 | 824 | 510 | 260 | 270 | 4- ϕ 26 | 300 | 400 | 445 | 12- ϕ 22 | 250 | 350 | 395 | 12- ϕ 22 |
| 300S19 | 958.5 | 517 | 520 | 450 | 900 | 400 | 600 | 450 | 803 | 510 | 250 | 260 | 4- ϕ 26 | 300 | 400 | 445 | 12- ϕ 22 | 250 | 350 | 395 | 12- ϕ 22 |
| 300S12 | 1008.5 | 552 | 520 | 450 | 1000 | 500 | 660 | 510 | 808 | 510 | 265 | 265 | 4- ϕ 26 | 300 | 400 | 445 | 12- ϕ 22 | 300 | 400 | 445 | 12- ϕ 22 |
| 350S125 | 1447.5 | 830 | 600 | 500 | 1210 | 550 | 690 | 500 | 1080 | 620 | 330 | 410 | 4- ϕ 35 | 350 | 460 | 505 | 16- ϕ 22 | 200 | 295 | 340 | 12- ϕ 22 |
| 350S75 | 1271.5 | 710 | 600 | 500 | 1250 | 600 | 690 | 500 | 1008 | 620 | 274 | 356 | 4- ϕ 35 | 350 | 460 | 505 | 16- ϕ 22 | 250 | 350 | 395 | 12- ϕ 22 |
| 350S44 | 1232.5 | 675 | 600 | 500 | 1080 | 510 | 690 | 500 | 980 | 620 | 300 | 300 | 4- ϕ 35 | 350 | 460 | 505 | 16- ϕ 22 | 300 | 400 | 445 | 12- ϕ 22 |
| 350S26 | 1161.5 | 633 | 600 | 500 | 1040 | 460 | 690 | 500 | 963 | 620 | 290 | 300 | 4- ϕ 35 | 350 | 460 | 505 | 16- ϕ 22 | 300 | 400 | 445 | 12- ϕ 22 |
| 350SS16 | 1090.5 | 584 | 600 | 500 | 1168 | 584 | 690 | 500 | 970 | 620 | 310 | 310 | 4- ϕ 33 | 350 | 460 | 505 | 16- ϕ 22 | 350 | 460 | 505 | 16- ϕ 22 |
| 500S98 | 1639.5 | 912 | 760 | 580 | 1550 | 750 | 1020 | 800 | 1381 | 800 | 425 | 545 | 4- ϕ 42 | 500 | 620 | 670 | 20- ϕ 926 | 300 | 400 | 445 | 12- ϕ 22 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|-----|-----|-----|------|-----|------|-----|------|-----|-----|-----|-------|-----|-----|-----|--------|-----|-----|-----|---------|
| 500S59 | 1637.5 | 905 | 760 | 580 | 1640 | 810 | 1020 | 800 | 1300 | 800 | 370 | 480 | 4-φ42 | 500 | 620 | 670 | 20-φ26 | 350 | 460 | 505 | 16-φ22 |
| 500S35 | 1373.5 | 766 | 760 | 580 | 1350 | 630 | 1020 | 800 | 1270 | 800 | 415 | 415 | 4-φ42 | 500 | 620 | 670 | 20φφ26 | 350 | 460 | 505 | 16-φ22 |
| 50022 | 1735.5 | 750 | 760 | 580 | 1450 | 640 | 1020 | 800 | 1266 | 800 | 410 | 410 | 4-φ42 | 500 | 620 | 670 | 20-φ26 | 400 | 515 | 565 | 16-φ926 |
| 500S13 | 1311.5 | 717 | 760 | 580 | 1550 | 775 | 1020 | 800 | 1251 | 800 | 410 | 410 | 4-φ42 | 500 | 620 | 670 | 20-φ26 | 500 | 620 | 670 | 20-φ26 |
| 600S75 | 1694.5 | 940 | 940 | 760 | 1900 | 940 | 1020 | 800 | 1550 | 950 | 425 | 555 | 4-φ42 | 600 | 725 | 780 | 20-φ30 | 400 | 515 | 565 | 16-φ26 |
| 600S47 | 1694.5 | 940 | 940 | 760 | 1595 | 745 | 1020 | 800 | 1505 | 950 | 490 | 490 | 4-φ42 | 600 | 725 | 780 | 20-φ30 | 400 | 515 | 565 | 16-φ26 |
| 600S32 | 1609.5 | 882 | 940 | 760 | 1600 | 750 | 1020 | 800 | 1490 | 950 | 480 | 480 | 4-φ42 | 600 | 725 | 780 | 20-φ30 | 500 | 620 | 670 | 20-φ26 |
| 600S22 | 1471.5 | 810 | 940 | 760 | 1790 | 840 | 1020 | 800 | 1476 | 950 | 460 | 460 | 4-φ42 | 600 | 725 | 780 | 20-φ30 | 500 | 620 | 670 | 20-φ26 |

不带底座安装尺寸

| 型号 | C | 电动机 | | | 电机尺寸 | | | | | | | 吐出锥管法兰尺寸 | | | | | |
|--------|---|----------------|-------|------|------|-----|-----|-----|-----|-------|-----|----------|-----|-----|-----|-----|--------|
| | | 型号 | 功率 KW | 电压 V | L1 | H | h | B | A | n-φd | E | L | L2 | D92 | D02 | D2 | n-φd2 |
| 200S95 | | Y250M-2 (IP23) | 110 | | 825 | 250 | 600 | 349 | 406 | 4-φ24 | 375 | 1690 | 674 | 200 | 295 | 340 | 8-φ22 |
| | | Y315S-2 | 110 | | 1270 | 315 | 865 | 406 | 508 | 4-φ28 | 375 | 2060 | 750 | 200 | 295 | 340 | 8-φ22 |
| | | JS2-335S1-2 | 112 | | 1310 | 355 | 850 | 500 | 610 | 4-φ30 | 375 | 2180 | 760 | 200 | 295 | 340 | 8-φ22 |
| 250S65 | | Y280M-4 (IP23) | 132 | | 970 | 280 | 655 | 419 | 457 | 4-φ24 | 500 | 2020 | 772 | 250 | 350 | 395 | 12-φ22 |
| | | Y315M1-4 | 132 | | 1270 | 315 | 865 | 457 | 508 | 4-φ28 | 500 | 2350 | 798 | 250 | 350 | 395 | 12-φ22 |
| | | JS115-4 | 135 | | 1300 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2350 | 872 | 250 | 350 | 395 | 12-φ22 |
| | | JR115-4 | 135 | | 1740 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2790 | 872 | 250 | 350 | 395 | 12-φ22 |
| 4 | | JS2-355S2-4 | 132 | 380 | 1200 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2250 | 836 | 250 | 350 | 395 | 12-φ22 |
| | | JR2-355S2-4 | 132 | | 1690 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2740 | 836 | 250 | 350 | 395 | 12-φ22 |
| | | Y280S-4 (IP23) | 110 | | 920 | 280 | 655 | 368 | 457 | 4-φ24 | 500 | 1970 | 772 | 250 | 350 | 395 | 12-φ22 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | |
|-------------------|---|----------------|-----|------|------|-----|------|-----|-----|-------|-----|------|------|-----|-----|-----|------------|
| | | Y315S-4 | 110 | | 1220 | 315 | 865 | 406 | 508 | 4-φ28 | 500 | 2300 | 798 | 250 | 350 | 395 | 12-φ 22 |
| | | JS114-4 | 115 | | 1200 | 375 | 875 | 490 | 620 | 4-φ26 | 500 | 2250 | 872 | 250 | 350 | 395 | 12-φ 22 |
| | | JR114-4 | 115 | | 1640 | 375 | 875 | 490 | 620 | 4-φ26 | 500 | 2690 | 872 | 250 | 350 | 395 | 12-φ 22 |
| | | JS2-355S1-4 | 112 | | 1200 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2250 | 836 | 250 | 350 | 395 | 12-φ 22 |
| | | JR2-355S1-4 | 112 | | 1690 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2740 | 836 | 250 | 350 | 395 | 12-φ 22 |
| 300S110 300S90 | | JS148-4 | 440 | 6000 | 1780 | 560 | 1270 | 870 | 940 | 4-φ42 | 300 | 2984 | 1019 | 300 | 400 | 440 | 12-φ 22 |
| | | Y355M2-7(IP23) | 315 | | 1290 | 355 | 960 | 560 | 610 | 4-φ28 | 500 | 2490 | 910 | 300 | 400 | 445 | 12-φ 22 |
| | | JS2-400M2-4 | 320 | | 1440 | 400 | 960 | 630 | 686 | 4-φ36 | 500 | 2600 | 936 | 300 | 400 | 445 | 12-φ 22 |
| | | JR2-400M2-4 | 320 | | 1880 | 400 | 1270 | 630 | 686 | 4-φ36 | 500 | 3080 | 936 | 300 | 400 | 445 | 12-φ 22 |
| | | Y355M1-4(IP23) | 280 | | 1290 | 355 | 704 | 560 | 610 | 4-φ26 | 500 | 2490 | 910 | 300 | 400 | 445 | 12-φ 22 |
| 300S90A | | JS2-400M2-4 | 280 | | 1440 | 400 | 960 | 630 | 686 | 4-φ36 | 500 | 2600 | 936 | 300 | 400 | 445 | 12-φ 22 |
| | | JR2-400M2-4 | 280 | | 1880 | 400 | 960 | 630 | 686 | 4-φ36 | 500 | 3080 | 936 | 300 | 400 | 445 | 12-φ 22 |
| 300S90B | 5 | Y355M1-4(IP23) | 220 | 380 | 1210 | 315 | 865 | 457 | 508 | 4-φ28 | 500 | 2410 | 832 | 300 | 400 | 445 | 12-φ 22 |
| | | JS126-4 | 225 | | 1300 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 2500 | 921 | 300 | 400 | 445 | 12-φ 22 |
| | | JR126-4 | 225 | | 1740 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 2940 | 921 | 300 | 400 | 445 | 12-φ 22 |
| | | JS2-400S1-4 | 220 | | 1420 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 2620 | 936 | 300 | 400 | 445 | 12-φ 22 |
| | | JR2-400S1-4 | 220 | | 1810 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 3010 | 936 | 300 | 400 | 445 | 12-φ 22 |

| 型号 | C | 电动机 | | | 电机尺寸 | | | | | | E | L | L2 | 吐出锥管法兰尺寸 | | | |
|---------|---|-----------------|----------|---------|------|-----|-----|-----|-----|-------|-----|------|-----|----------|-----|-----|------------|
| | | 型号 | 功率 KW | 电压 V | L1 | H | h | B | A | n-φd | | | | D92 | D0z | D2 | n-9d2 |
| 300S58B | | Y315M1A-4(IP23) | 185 | | 1210 | 315 | 865 | 457 | 508 | 4-φ28 | 300 | 2355 | 793 | 300 | 400 | 445 | 12-φ 22 |
| | | JS117-4 | 180 | | 1345 | 375 | 875 | 640 | 620 | 4-φ26 | 300 | 2495 | 857 | 300 | 400 | 445 | 12-φ 22 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | |
|----------|---------------|-----|------|------|-----|------|------|------|--------|-----|------|------|-----|-----|-----|------------|
| | JR117-4 | 180 | | 1785 | 375 | 875 | 640 | 620 | 4-φ26 | 300 | 2935 | 857 | 300 | 400 | 445 | 12-φ 22 |
| | JR2-355M2-4 | 190 | | 1750 | 355 | 850 | 560 | 610 | 4-φ30 | 300 | 2900 | 821 | 300 | 400 | 445 | 12~φ 22 |
| 300S58A | Y315S-4(IP23) | 160 | | 1160 | 315 | 865 | 409 | 508 | 4-φ28 | 300 | 2305 | 793 | 300 | 400 | 445 | 12-φ 22 |
| | Y315M2-4 | 160 | | 1290 | 315 | 760 | 457 | 508 | 4-φ28 | 300 | 2460 | 793 | 300 | 400 | 445 | 12-φ 22 |
| | JS116-4 | 155 | | 1300 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2450 | 857 | 300 | 400 | 445 | 12-φ 22 |
| | JR116-4 | 155 | | 1740 | 375 | 875 | 590 | 620 | 4-tp26 | 300 | 2890 | 857 | 300 | 400 | 445 | 12-φ 22 |
| | J\$2-355M1-4 | 160 | | 1260 | 355 | 850 | 560 | 610 | 4-φ30 | 300 | 2410 | 821 | 300 | 400 | 445 | 12-φ 22 |
| 300S58B | JR2-355M1-4 | 160 | 380 | 1750 | 355 | 850 | 560 | 610 | 4-φ30 | 300 | 2900 | 821 | 300 | 400 | 445 | 12-φ 22 |
| | Y280M-4(IP23) | 132 | | 970 | 280 | 655 | 419 | 457 | 4-φ24 | 300 | 2115 | 767 | 300 | 400 | 445 | 12-φ 22 |
| | Y315Ma-4 | 132 | | 1290 | 315 | 760 | 457 | 508 | 4-φ28 | 300 | 2435 | 793 | 300 | 400 | 445 | 12-φ22 |
| | JS115-4 | 135 | | 1300 | 375 | 875 | 590 | 620 | 4-φ26 | 300 | 2450 | 857 | 300 | 400 | 445 | 12-φ 22 |
| | JR115-4 | 135 | | 1740 | 375 | 875 | 590 | 620 | 4-φ26 | 300 | 2890 | 857 | 300 | 400 | 445 | 12-φ 22 |
| | JS2-355S2-4 | 132 | | 1200 | 355 | 850 | 500 | 610 | 4-φ30 | 300 | 2350 | 821 | 300 | 400 | 445 | 12-φ 22 |
| | JR2-355S2-4 | 132 | | 1690 | 355 | 850 | 500 | 610 | 4-φ30 | 300 | 2840 | 821 | 300 | 400 | 445 | 12-φ 22 |
| 350S125 | Y450-50-4 | 710 | | 2035 | 450 | 1350 | 1120 | 800 | 4-φ35 | 750 | 3490 | 1154 | 350 | 470 | 520 | 16-φ 22 |
| | JS158-4 | 680 | | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 750 | 3380 | 1129 | 350 | 470 | 520 | 16-φ 22 |
| | JRt58-4 | 680 | | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 750 | 3790 | 1129 | 350 | 470 | 520 | 16-φ 22 |
| 350S125A | Y450-46-4 | 630 | 6000 | 2035 | 450 | 1350 | 1120 | 800 | 4-φ35 | 750 | 3490 | 1154 | 350 | 470 | 520 | 16-φ 22 |
| 350S125B | Y400-50-4 | 500 | | 1860 | 400 | 1200 | 1000 | 710 | 4-φ35 | 750 | 3315 | 1134 | 350 | 470 | 520 | 16-φ 22 |
| | JS1410-4 | 500 | | 1880 | 560 | 1270 | 970 | 940 | 4-φ42 | 750 | 3340 | 1154 | 350 | 470 | 520 | 16-φ 22 |
| | JR1410-4 | 500 | | 2310 | 560 | 1270 | 970 | 940 | 4-φ42 | 750 | 3770 | 1154 | 350 | 470 | 520 | 16-φ 22 |
| 350S75 | Y355L-4(IP23) | 355 | 380 | 1360 | 355 | 704 | 630 | 610 | 4-φ28 | 500 | 2640 | 932 | 350 | 460 | 505 | 16-φ |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | |
|---------|---|------------------|-----|------|------|-----|------|-----|-----|-------|-----|------|------|-----|-----|-----|------------|
| | | | | | | | | | | | | | | | | | 22 |
| | | JS147-4 | 360 | | 1780 | 560 | 1270 | 870 | 940 | 4-φ42 | 500 | 3060 | 1033 | 350 | 460 | 505 | 16-φ 22 |
| | | JR147-4 | 360 | 6000 | 2210 | 560 | 1270 | 870 | 940 | 4-φ42 | 500 | 3490 | 1033 | 350 | 460 | 505 | 16-φ 22 |
| 350S75A | | Y355M1-4 (IP23) | 280 | | 1290 | 355 | 704 | 560 | 610 | 4-φ28 | 500 | 2570 | 932 | 350 | 460 | 505 | 16-φ 22 |
| | | JS128-4 | 300 | | 1395 | 450 | 1005 | 650 | 710 | 4-φ32 | 500 | 2675 | 943 | 350 | 460 | 505 | 16-φ 22 |
| | | JR128-4 | 300 | | 1840 | 450 | 1005 | 650 | 710 | 4-φ32 | 500 | 3120 | 943 | 350 | 460 | 505 | 16-φ 22 |
| | | JS2-400M1-4 | 280 | | 1400 | 400 | 960 | 630 | 686 | 4-φ36 | 500 | 2680 | 958 | 350 | 460 | 505 | 16-φ 22 |
| | | JR2-400M1-4 | 280 | | 1880 | 400 | 960 | 630 | 686 | 4-φ36 | 500 | 3160 | 958 | 350 | 460 | 505 | 16-φ 22 |
| | | Y315M2A-4 (IP23) | 220 | | 1210 | 315 | 865 | 457 | 508 | 4-φ28 | 500 | 2490 | 854 | 350 | 460 | 505 | 16-φ 22 |
| 350S75B | 6 | JS126-4 | 225 | | 1295 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 2575 | 943 | 350 | 460 | 505 | 16-φ 22 |
| | | JR126-4 | 225 | | 1740 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 3020 | 943 | 350 | 460 | 505 | 16-φ 22 |
| | | JS2-400S1-4 | 220 | | 1330 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 2610 | 958 | 350 | 460 | 505 | 16-φ 22 |
| | | JR2-400S1-4 | 220 | | 1810 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 3090 | 958 | 350 | 460 | 505 | 16-φ 22 |
| 350S44 | | Y315M2A-7 (IP23) | 220 | | 1210 | 315 | 865 | 457 | 508 | 4-φ28 | 500 | 2490 | 815 | 350 | 460 | 505 | 16-φ 22 |
| | | JS126-4 | 225 | | 1295 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 2575 | 927 | 350 | 460 | 505 | 16-φ 22 |
| | | JR126-4 | 225 | 380 | 1740 | 450 | 1005 | 550 | 710 | 4-φ32 | 500 | 3020 | 927 | 350 | 460 | 505 | 16-φ 22 |
| | | JS2-400S1-4 | 220 | | 1330 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 2590 | 942 | 350 | 460 | 505 | 16-φ 22 |
| | | JR2-400S1-4 | 220 | | 1810 | 400 | 960 | 560 | 686 | 4-φ36 | 500 | 3070 | 942 | 350 | 460 | 505 | 16-φ 22 |
| 350S44A | 5 | Y315S-4 (IP23) | 160 | | 1160 | 315 | 860 | 406 | 508 | 4-φ28 | 500 | 2420 | 815 | 350 | 460 | 505 | 16-φ 22 |
| | | Y315M2-4 | 160 | | 1290 | 315 | 760 | 457 | 508 | 4-φ28 | 500 | 2550 | 815 | 350 | 460 | 505 | 16-φ 22 |
| | | JS116-4 | 155 | | 1300 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2560 | 912 | 350 | 460 | 505 | 16-φ 22 |
| | | JR116-4 | 155 | | 1740 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 3000 | 912 | 350 | 460 | 505 | 16-φ 22 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | |
|--------|---|----------------|-----|------|-----|-----|-----|-----|-------|-----|------|-----|-----|-----|-----|--------|----|
| | | | | | | | | | | | | | | | | | 22 |
| | | JS2-355M1-4 | 160 | 1260 | 355 | 850 | 560 | 610 | 4-φ30 | 500 | 2520 | 876 | 350 | 460 | 505 | 16-φ22 | |
| | | JR2-355M1-4 | 160 | 1750 | 355 | 850 | 560 | 610 | 4-φ30 | 500 | 3010 | 876 | 350 | 460 | 505 | 16-φ22 | |
| 350S26 | 7 | Y280M-4 (IP23) | 132 | 970 | 280 | 655 | 419 | 457 | 4-φ24 | 500 | 2140 | 749 | 350 | 460 | 505 | 16-φ22 | |
| | | Y315M1-4 | 132 | 1290 | 315 | 760 | 457 | 508 | 4-φ28 | 500 | 2460 | 775 | 350 | 460 | 505 | 16-φ22 | |
| | | JS115-4 | 135 | 1300 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2470 | 849 | 350 | 460 | 505 | 16-φ22 | |

| 型号 | C | 电动机 | | | 电机尺寸 | | | | | | E | L | L2 | 吐出锥管法兰尺寸 | | | |
|---------|---|--------------|----------|---------|------|-----|------|------|------|-------|-----|------|------|----------|-----|-----|--------|
| | | 型号 | 功率 KW | 电压 V | L1 | H | h | B | A | n-φd | | | | D92 | D02 | D2 | n-φd2 |
| 350S26 | 7 | JR115-4 | 135 | 380 | 1740 | 375 | 875 | 590 | 620 | 4-φ26 | 500 | 2910 | 849 | 350 | 460 | 505 | 16-D22 |
| | | J\$2-355S2-4 | 132 | | 1200 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2370 | 813 | 350 | 460 | 505 | 16-φ22 |
| | | JR2-355S2-4 | 132 | | 1690 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2860 | 813 | 350 | 460 | 505 | 16-D22 |
| | | Y280M-4 | 90 | 380 | 1050 | 280 | 740 | 419 | 457 | 4-φ24 | 500 | 2220 | 749 | 350 | 460 | 505 | 16-φ22 |
| | | Y315S-4 | 110 | | 1240 | 315 | 760 | 406 | 508 | 4-φ28 | 500 | 2410 | 775 | 350 | 460 | 505 | 16-φ22 |
| 350S26A | | JS2-355S1-4 | 112 | 380 | 1200 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2370 | 813 | 350 | 460 | 505 | 16-φ22 |
| | | JR2-355S1-4 | 112 | | 1690 | 355 | 850 | 500 | 610 | 4-φ30 | 500 | 2860 | 813 | 350 | 460 | 505 | 16-φ22 |
| 350S16 | 6 | Y280S-4 | 75 | 380 | 1000 | 280 | 640 | 368 | 457 | 4-φ24 | 500 | 2100 | 670 | 350 | 460 | 505 | 16-φ22 |
| 350S16A | | Y250M-4 | 55 | | 930 | 250 | 575 | 349 | 406 | 4-φ24 | 500 | 2030 | 648 | 350 | 460 | 505 | 16-φ22 |
| 500S98 | | Y500-54-6 | 800 | 380 | 2220 | 500 | 1500 | 1250 | 900 | 4-φ42 | 880 | 3870 | 1356 | 500 | 620 | 670 | 20-φ26 |
| | | Y500-54-6 | 800 | | 2220 | 500 | 1900 | 1250 | 900 | 4-φ42 | 880 | 3890 | 1356 | 500 | 620 | 670 | 20-φ26 |
| | | JS1512-6 | 780 | | 1920 | 630 | 1435 | 1920 | 1100 | 4-φ42 | 880 | 3590 | 1171 | 500 | 620 | 670 | 20-φ26 |
| | | JR1512-6 | 780 | | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 880 | 3590 | 1171 | 500 | 620 | 670 | 20-φ26 |
| 500S98A | | Y450-64-6 | 630 | 380 | 2080 | 450 | 1350 | 1120 | 800 | 4-φ42 | 880 | 3730 | 1236 | 500 | 620 | 670 | 20-φ26 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | |
|---------|----------|------------------|------|------|------|------|------|-----------|-----------|------|------|------|-----|-----|------------|------------|
| 500S98B | 5 | | | | | | | | 35 | | | | | | | 26 |
| | | Y500-50-6 | 630 | 2220 | 500 | 1900 | 1250 | 900 | 4-φ 42 | 880 | 3890 | 1356 | 500 | 620 | 670 | 20-φ 26 |
| | | JS1510-6 | 650 | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ 42 | 880 | 3590 | 1171 | 500 | 620 | 670 | 20-φ 26 |
| | | JR1510-6 | 650 | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ 42 | 880 | 4000 | 1171 | 500 | 620 | 670 | 20-φ 26 |
| | | Y450-54-6 | 560 | 2080 | 450 | 1350 | 1120 | 800 | 4-φ 35 | 880 | 3730 | 1236 | 500 | 620 | 670 | 20-φ 26 |
| | | Y450-64-6 | 560 | 2080 | 450 | 1650 | 1120 | 800 | 4-φ 35 | 880 | 3750 | 1236 | 500 | 620 | 670 | 20-φ 26 |
| | JS158-6 | 550 | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ 42 | 880 | 3590 | 1171 | 500 | 620 | 670 | 20-φ 26 | |
| | J1之158-6 | 550 | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ 42 | 880 | 4000 | 1171 | 500 | 620 | 670 | 20-φ 26 | |
| 500S59 | 5 | Y450-46-6 | 450 | 2080 | 450 | 1350 | 1120 | 800 | 4-φ 35 | 800 | 3730 | 1229 | 500 | 620 | 670 | 20-φ 26 |
| | | Y450-50-6 | 450 | 2080 | 450 | 1650 | 1120 | 800 | 4-φ 35 | 800 | 3750 | 1229 | 500 | 620 | 670 | 20-φ 26 |
| | | JS157-6 | 460 | 1720 | 630 | 1435 | 820 | 1100 | 4-φ 42 | 800 | 3390 | 1159 | 500 | 620 | 670 | 20-φ 26 |
| | | JR157-6 | 460 | 2130 | 630 | 1435 | 820 | 1100 | 4-φ 42 | 800 | 3800 | 1159 | 500 | 620 | 670 | 20-φ 26 |
| 500S59A | 6000 | Y400-54-6 | 400 | 1860 | 400 | 1200 | 1000 | 610 | 4-φ 35 | 800 | 3510 | 1169 | 500 | 620 | 670 | 20-φ 26 |
| | | Y400-46-6 | 400 | 2080 | 450 | 1650 | 1120 | 800 | 4-φ 35 | 800 | 3750 | 1229 | 500 | 620 | 670 | 20-φ 26 |
| | | JS1410-6 | 380 | 1880 | 560 | 1270 | 970 | 940 | 4-φ 42 | 800 | 3550 | 1189 | 500 | 620 | 670 | 20-φ 26 |
| | | JR1410-6 | 380 | 2310 | 560 | 1270 | 970 | 940 | 4-φ 42 | 800 | 3980 | 1189 | 500 | 620 | 670 | 20-φ 26 |
| 500S59B | 7 | Y400-46-6 | 315 | 1860 | 400 | 1200 | 1000 | 710 | 4-φ 35 | 800 | 3510 | 1169 | 500 | 620 | 670 | 20-φ 26 |
| | | Y400-50-6 | 315 | 1860 | 400 | 1450 | 1000 | 710 | 4-φ 35 | 800 | 3530 | 1169 | 500 | 620 | 670 | 20-φ 26 |
| | | JS148-6 | 310 | 1780 | 560 | 1270 | 870 | 940 | 4-φ 42 | 800 | 3450 | 1189 | 500 | 620 | 670 | 20-φ 26 |
| | | JR148-6 | 310 | 2210 | 560 | 1270 | 870 | 940 | 4-φ 42 | 800 | 3880 | 1189 | 500 | 620 | 670 | 20-D26 |
| 500S35 | | YS355L1-6 (IP23) | 280 | 1360 | 355 | 704 | 630 | 610 | 4-φ 28 | 800 | 2760 | 948 | 500 | 620 | 670 | 20-φ 26 |
| | | YR355L1-6 (IP23) | 280 | 1670 | 355 | 855 | 630 | 610 | 4-φ | 800 | 3070 | 948 | 500 | 620 | 670 | 20-φ |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | | |
|---------|---|------------------|-----|--|------|-----|------|-----|-----|-----------|-----|------|-----|-----|-----|-----|------------|
| | 1 | | | | | | | | 28 | | | | | | | 26 | |
| | | JS137-6 | 280 | | 1520 | 500 | 1125 | 760 | 790 | 4-φ 32 | 800 | 2920 | 989 | 500 | 620 | 670 | 20-D26 |
| | | JR137-6 | 280 | | 1960 | 500 | 1125 | 760 | 790 | 4-φ 32 | 800 | 3360 | 989 | 500 | 620 | 670 | 20-φ 26 |
| | | JS2-400M3-6 | 280 | | 1400 | 400 | 960 | 630 | 686 | 4-φ 32 | 800 | 2800 | 974 | 500 | 620 | 670 | 20-φ 26 |
| | | JR2-400M3-6 | 280 | | 1880 | 400 | 960 | 630 | 686 | 4-φ 32 | 800 | 3280 | 974 | 500 | 620 | 670 | 20-φ 26 |
| 500S35A | 6 | YS355M3-6 (IP23) | 220 | | 1290 | 355 | 704 | 560 | 610 | 4-φ 28 | 800 | 2690 | 948 | 500 | 620 | 670 | 20-D26 |
| | | YR355M3-6 (IP23) | 220 | | 1670 | 355 | 835 | 560 | 610 | 4-φ 28 | 800 | 3070 | 948 | 500 | 620 | 670 | 20-φ 26 |
| | | JS128-6 | 215 | | 1310 | 450 | 1005 | 650 | 710 | 4-φ 32 | 800 | 2710 | 974 | 500 | 620 | 670 | 20-φ 26 |
| | | JS128-6 | 215 | | 1760 | 450 | 1005 | 650 | 710 | 4-φ 32 | 800 | 3160 | 974 | 500 | 620 | 670 | 20-φ 26 |
| | | JS2-400S3-6 | 220 | | 1330 | 400 | 960 | 560 | 686 | 4-φ 36 | 800 | 2730 | 974 | 500 | 620 | 670 | 20-φ 26 |
| | | JR2-400S3-6 | 220 | | 1810 | 400 | 960 | 560 | 686 | 4-φ 36 | 800 | 3210 | 974 | 500 | 620 | 670 | 20-φ 26 |
| 500S22 | 5 | Y315M1-6 (IP23) | 185 | | 1290 | 355 | 704 | 450 | 610 | 4-φ 28 | 600 | 2690 | 931 | 500 | 620 | 670 | 20-φ 26 |
| | | JS127-6 | 185 | | 1410 | 450 | 1005 | 650 | 710 | 4-φ 32 | 600 | 2810 | 957 | 500 | 620 | 670 | 20-φ 26 |
| | | JR127-6 | 185 | | 1860 | 450 | 1005 | 650 | 710 | 4-φ 32 | 600 | 3260 | 957 | 500 | 620 | 670 | 20-φ 26 |

| 型号 | 电动机 | | | 电机尺寸 | | | | | | E | L | L2 | 吐出锥管法兰尺寸 | | | |
|---------|----------------|----------|---------|-------|-----|------|-----|-----|--------|-----|------|-------|----------|-----|-----|--------|
| | 型号 | 功率 KW | 电压 V | L1 | H | h | B | A | n-φd | | | | D92 | D02 | D2 | n-φd2 |
| 500S22 | JS2-400S2-6 | 190 | 380 | 1330 | 400 | 960 | 560 | 686 | 4-φ36 | 600 | 2730 | 957 | 500 | 620 | 670 | 20-φ26 |
| | JR2-400S2-6 | 190 | | 1810 | 400 | 960 | 560 | 686 | 4-φ36 | 600 | 3210 | 957 | 500 | 620 | 670 | 20-φ26 |
| 500S22A | Y315M-6 (IP23) | 132 | | 1210 | 315 | 865 | 457 | 508 | 4-φ28 | 600 | 2590 | 853 | 500 | 620 | 670 | 20-φ26 |
| | Y315M3-6 | 132 | | 1,270 | 315 | 760 | 457 | 508 | 4-φ28 | 600 | 2640 | 857 | 500 | 620 | 670 | 20-φ26 |
| | JS125-6 | 130 | | 1310 | 450 | 1005 | 550 | 710 | 4-cp32 | 600 | 2680 | 957 | 500 | 620 | 670 | 20-φ26 |
| | JR125-6 | 130 | | 1760 | 450 | 1005 | 550 | 710 | 4-φ32 | 600 | 3130 | 957 | 500 | 620 | 670 | 20-D26 |
| | J\$2-355M2-6 | 132 | | 1260 | 355 | 850 | 560 | 610 | 4-φ30 | 600 | 2630 | 891 | 500 | 620 | 670 | 20-φ26 |
| | Jti2-355M2-6 | 132 | | 1750 | 355 | 850 | 560 | 610 | 4-φ30 | 600 | 3120 | 891 | 500 | 620 | 670 | 20-φ26 |
| 500S13 | Y315S-6 (IP23) | 110 | | 1160 | 315 | 865 | 406 | 508 | 4-φ28 | 600 | 2480 | 820.5 | 500 | 620 | 670 | 20-φ26 |
| | Y315M2-6 | 110 | | 1270 | 315 | 760 | 457 | 508 | 4-φ28 | 600 | 2580 | 820.5 | 500 | 620 | 670 | 20-φ26 |

S 型单级双吸泵壳中开之离心泵

| | | | | | | | | | | | | | | | | |
|---------|-----------------|-----|------|------|-----|------|------|------|-------|------|------|-------|-----|-----|-----|--------|
| | JS117-6 | 115 | | 1200 | 355 | 875 | 590 | 620 | 4-φ26 | 600 | 2510 | 894.5 | 500 | 620 | 670 | 20-φ26 |
| | JR117-6 | 115 | | 1640 | 355 | 875 | 590 | 620 | 4-φ26 | 600 | 2950 | 894.5 | 500 | 620 | 670 | 20-φ26 |
| | JS2-355M1-6 | 112 | | 1260 | 355 | 850 | 560 | 610 | 4-φ30 | 600 | 2570 | 858.5 | 500 | 620 | 670 | 20-φ26 |
| | JR2-355M1-6 | 112 | | 1750 | 355 | 850 | 560 | 610 | 4-φ30 | 600 | 3060 | 858.5 | 500 | 620 | 670 | 20-φ26 |
| 600S75 | Y500-54-6 | 800 | | 2220 | 500 | 1500 | 1250 | 900 | 4-φ42 | 600 | | 1294 | 500 | 620 | 670 | 20-φ26 |
| | Y500-64-6 | 800 | | 2220 | 500 | 1900 | 1250 | 900 | 4-φ42 | 600 | | 1294 | 500 | 620 | 670 | 20-φ26 |
| | JS1512-6 | 780 | | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 1109 | 500 | 620 | 670 | 20-φ26 |
| | JR1512-6 | 780 | | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 109 | 500 | 620 | 670 | 20-φ26 |
| 600S75A | Y450-64-6 | 630 | | 2080 | 450 | 1350 | 1120 | 800 | 4-φ35 | 600 | | 1174 | 500 | 620 | 670 | 20-φ26 |
| | Y500-50-6 | 630 | | 2220 | 500 | 1900 | 1250 | 900 | 4-φ42 | 600 | | 1294 | 500 | 620 | 670 | 20-φ26 |
| | J\$1510-6 | 650 | | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 1109 | 500 | 620 | 670 | 20-φ26 |
| | JR1510-6 | 650 | | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 1109 | 500 | 620 | 670 | 20-φ26 |
| 600S47 | Y450-54-6 | 560 | 6000 | 2080 | 450 | 1350 | 1120 | 800 | 4-φ35 | 600 | | 1174 | 500 | 620 | 670 | 20-φ26 |
| | Y450-65-6 | 560 | | 2080 | 450 | 1650 | 1120 | 800 | 4-φ35 | 600 | | 1174 | 500 | 620 | 670 | 20-φ26 |
| | JS158-6 | 550 | | 1920 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 1109 | 500 | 620 | 670 | 20-φ26 |
| | JR158-6 | 550 | | 2330 | 630 | 1435 | 1020 | 1100 | 4-φ42 | 600 | | 1109 | 500 | 620 | 670 | 20-φ26 |
| 600S32 | Y400-54-6 | 400 | | 1860 | 400 | 1200 | 1000 | 710 | 4-φ35 | 600 | | 1055 | 500 | 620 | 670 | 20-φ26 |
| | Y450-64-6 | 400 | | 2080 | 450 | 1650 | 1120 | 800 | 4-φ35 | 600 | | 1115 | 500 | 620 | 670 | 20-φ26 |
| | JS1410-6 | 380 | | 1880 | 560 | 1270 | 970 | 940 | 4-φ42 | 600 | | 1075 | 500 | 620 | 670 | 20-φ26 |
| | JR1410-6 | 380 | | 2310 | 560 | 1260 | 970 | 940 | 4-φ42 | 600 | | 1075 | 500 | 620 | 670 | 20-φ26 |
| 600S32A | Y400-43-6 | 280 | | 1860 | 400 | 1200 | 1000 | 710 | 4-φ35 | 600 | | 1055 | 500 | 620 | 670 | 20-φ26 |
| | Y355L1-6(IP23) | 280 | | 1360 | 355 | 704 | 630 | 610 | 4-φ28 | 600 | | 974 | 500 | 620 | 670 | 20-φ26 |
| | JS137-6 | 280 | | 1520 | 500 | 1125 | 760 | 790 | 4-φ32 | 600 | | 1015 | 500 | 620 | 670 | 20-φ26 |
| | JR137-6 | 280 | | 1960 | 500 | 1125 | 760 | 790 | 4-φ32 | 600 | | 1015 | 500 | 620 | 670 | 20-φ26 |
| | JS2-40M3-6 | 280 | | 1400 | 400 | 960 | 730 | 686 | 4-φ32 | 600 | | 1000 | 500 | 620 | 670 | 20-φ26 |
| | JR2-40M3-6 | 280 | | 1880 | 400 | 960 | 730 | 686 | 4-φ32 | 600 | | 1000 | 500 | 620 | 670 | 20-φ26 |
| | Y355L1-6(IP23) | 280 | | 1760 | 355 | 704 | 730 | 610 | 4-φ28 | 600 | | 974 | 500 | 620 | 670 | 20-φ26 |
| 600S22 | Y355Lt-6(IP23) | 280 | 380 | 1360 | 355 | 707 | 730 | 610 | 4-φ28 | 600 | | 902 | 500 | 620 | 670 | 20-φ26 |
| | YR355Lx-6(IP23) | 280 | | 1760 | 355 | 704 | 730 | 610 | 4-φ28 | 600 | | 902 | 500 | 620 | 670 | 20-φ26 |
| | JS137-6 | 280 | | 1520 | 500 | 1125 | 760 | 790 | 4-φ32 | 600 | | 1943 | 500 | 620 | 670 | 20-φ26 |
| | JR137-6 | 280 | | 1960 | 500 | 1125 | 760 | 790 | 4-φ32 | 600 | | 1943 | 500 | 620 | 670 | 20-φ26 |
| | JS2-4003-6 | 280 | | 1400 | 400 | 960 | 730 | 686 | 4-φ32 | 600 | | 1928 | 500 | 620 | 670 | 20-φ26 |
| | JR2-4003-6 | 280 | | 1880 | 400 | 960 | 730 | 686 | 4-φ32 | 600 | | 928 | 500 | 620 | 670 | 20-φ26 |
| 600S22A | Y355M2-6(IP23) | 200 | | 1290 | 355 | 704 | 560 | 610 | 4-φ28 | 600 | | 902 | 500 | 620 | 670 | 20-φ26 |
| | YR355M2-6(IP23) | 200 | | 1690 | 355 | 704 | 560 | 610 | 4-φ28 | 600 | | 902 | 500 | 620 | 670 | 20-φ26 |
| | JS2-400S3-61 | 190 | | 1330 | 400 | 960 | 560 | 686 | 4-φ36 | 600 | | 928 | 500 | 620 | 670 | 20-φ26 |
| | JR2-400S3-6 | 190 | | 1810 | 400 | 960 | 560 | 686 | 4-φ36 | 1600 | | 928 | 500 | 620 | 670 | 20-φ26 |

S 型单级双吸泵壳中开之离心泵